

## Felgen John Deere

Traktor	H	V	Dimension	Spur	Loch	Naben D	Lochkreis	Felgendicke	Dimension Reifen	Preis / Paar inkl. Mwst.
John Deere 5100R Spritze Jg.13	x		W10x48	1.65m	8x 21mm	152 mm	203 mm	16 mm	270/95R48	1200.-
John Deere 5100R Spritze		x	W10x32	1.65m	8x 19mm	220 mm	275 mm	13 mm	270/95R32	750.-
John Deere 5125R	x		W12x38	1.65m	8x 21mm	152 mm	203 mm	14 mm	340/85R38	1200.-
John Deere 5125R		x	W10x28	1.65m	8x 19mm	220 mm	275 mm	12 mm	280/85R28	750.-
John Deere 5100R 1 Jg. 12	x		W12x38	1.65m	8x 21mm	152 mm	203 mm	14 mm	340/85R38	1200.-
John Deere 5100R 1		x	W10x28	1.65m	8x 19mm	220 mm	275 mm	13 mm	280/85R28	750.-
John Deere 5085M	x		W8x42	1.65m	8x 21mm	152 mm	203 mm	15 mm	270/95R42	1200.-
John Deere 5100M	x		W10x42	1.65m	8x 21mm	152 mm	203 mm	15 mm	270/95R42	1200.-
John Deere 1950	x		W8x44	1.65m	8x 19.5mm	152 mm	203 mm		230/95R32	1000.-

















































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































